








1	2021			<p>1850*850*390mm, ± 5mm</p> <p>≥0.6mm</p> <p>≥0.7mm ≥</p> <p>65 m</p> <p>GB/T3324-2017</p>	9		7,200.00
2	2021			<p>1850*850*390mm ± 5mm</p> <p>≥0.7mm</p> <p>≥0.8mm</p> <p>≥ 65 m</p> <p>GB/T3324-2017</p>	60		60,000.00



3	2021			<p>480mm</p> <p>400-440mm</p> <p>84CM*</p> <p>56CM* 54CM</p> <p>GB18584-2001 GB/T3324-2017</p>	40		16,000.00
4	2021			<p>1600*800*760mm</p> <p>± 5mm</p> <p>6%-14%</p> <p>GB18580-2017</p> <p>2 >=5CM</p> <p>>=1.8CM</p> <p>>=1.6CM</p> <p>>=0.5CM</p> <p>6%-14%</p> <p>GB18584-2001</p>	21		31,500.00




--	--	--	--	--	--	--	--	--


GB/T3324-2017




				<p>GB18580-2017</p> <p>GB18584-2001 GB/T3324-2017</p>			
8	2021			<p>1750-1960mm 800-900mm 350-420mm 700-900mm 1.3 1.5mm</p> <p>QB/T1951.1</p>	1		2,000.00

9	2021			<p>2 800-950mm 850-900mm 350- 420mm 700- 900mm 1750-1960mm 800- 900mm 350-420mm 700-900mm</p>	1	6,000.00	
10				<p>1600*800*760mm ± 5mm</p> <p>6%-14%</p> <p>GB18580-2017</p> <p>2 >=5CM</p> <p>>=1.8CM >=1.6CM</p>	60	90,000.00	

				GB/T3324-2017			
13				<p>390*850*390 ± 5mm</p> <p>0.8mm ≥ 65 m</p> <p>4 5</p>	6		5,400.00
14				<p>5000*2000*780mm ± 5mm</p> <p>GB18580-2017 760kg/m³, 8.0%</p> <p>AAA 0.6mm</p> <p>3</p>	1		9,000.00




				4 GB18581-2009 5 GB18584-2001 GB/T3324-2017			
15				1850*850*390mm, ± 5mm 0.5mm ≥ 65 m GB/T3324-2017	7		4,550.00
16				800*400*700mm ± 5mm ≥25mm ≥16mm GB18584-2001 GB/T3324-2017	2		1,000.00
17				800*400*800mm ± 5mm 1 2 3 ≥16mm ,	1		700

				2017 4 PU 5 6 GB18584-2001 GB/T3324-2017			
18				: 1400*600*760mm, $\pm 5\text{mm}$ 25mm 16mm, GB18580-2017 40*40 ≥ 65 m	20		20,000.00

				GB18581-2009			
22				400*430*870mm GB18584-2001 GB/T3324-2017	16		5760.00
23				102cm 63cm 58cm 43cm 63cm GB18584- 2001 GB/T3324-2017	4		2,600.00
24				800*400*800 ± 5mm 1 2 3 ≥16mm GB18580- 2017 760kg/m ³ , 8.0%.	1		900

				4	AAA	0.6mm	
				5			
				PU	,	PE	
				6			
				7			
				GB18584-2001			
				GB/T3324-2017			
25					1400*700*760		
					± 5mm		
					6%-14%		
					GB18580-		
				2017	800		
				/			
				8.0%			
					PVC		
						4	
							3,600.00
				GB18584-2001	GB/T		



				3325-2017			
26				2.0 20 GB/T3325-2017	4		1,800.00
27		4 1		2200*900*480 ± 5mm GB/13667.1-2003 ISO9001 ISO2000 1.2mm, 1.0mm 0.8mm ≥ 65 m 200 GB18584-2001 GB/T 3325-2017	1		3,400.00
28		1.2M		1200*600*760 ± 5mm GB18580-2017 600kg/m 8%	2		1,900.00

				400*400mm m	≥ 65		
					2.0mm		
				2001	GB18584- GB/T3324-2017		

600*600*760
± 5mm

GB18580-2017
600kg/m
8%

29




0.6M

400*400mm
m



≥ 65

2.0mm

GB18584-2017

30				<p>400*430*870 ± 5mm</p> <p>GB18584-2001 GB/T3324-2017</p>	12		3,600.00
31				<p>800*400*800 ± 5mm</p> <p>; 25mm; 16mm,</p> <p>GB18580-2017 GB18584-2001 GB/T3324-2017</p>	1		700
32				<p>2 800-950mm 850-900mm 350-420mm 700-900mm 1750-1960mm 800-900mm 350-420mm 700-900mm</p> <p>1.3 1.5mm</p>	1		3,900.00

				QB/T1951.1			
33				280*28*470mm	10		600.00
34				1200mm* 600mm* 760mm ± 5mm GB18584-2001 GB/T3324-2017	4		4000
35				xk26 xk26 GB/T3325-2017	4		800
36				1850*850*390 ± 5mm >=0.4MM >=0.5MM 1.0mm ≥ 65 m	2		1200

				5			
				GB18584-2001 GB/T3324-2017			
39				2000*1000*300 ± 5mm 2 1.1mm 0.7mm 0.6mm ≥ 65 m	2		4000
40				1750-1960mm 800-900mm 350-420mm 700-900mm 1.3 1.5mm	1		2000
				QB/T1951.1			
					457		400,710.00